INDEX TO VOLUME 48

The following is an annual index, by title and first author, of the Archives of Environmental Health, Volume 48 (1993).

A

- A case-control study of carcinomas of the nose and paranasal sinuses in the woolen textile manufacturing industry. Magnani C, Comba P, Ferraris F, Ivaldi C, Meneghin M, Terracini B. 48(2):94–97.
- Abbey DE, Petersen F, Mills PK, Beeson WL. Long-term ambient concentrations of total suspended particulates, ozone, and sulfur dioxide and respiratory symptoms in a nonsmoking population. 48(1): 33_46.
- Acute myeloid leukemia among petrol station attendants. Jakobsson R, Ahlbom A, Bellander T, Lundberg I. 48(4):255–59.
- Acute effects of a winter air pollution episode on pulmonary function and respiratory symptoms of children. Hoek G, Brunekreef B. 48(5):329–35.
- Acute leukemia and residential proximity to potential sources of environmental pollutants. Shore DL, Sandler DP, Davey FR, McIntyre OR, Bloomfield CD. 48(6):414–20.
- Age and smoking-adjusted lung cancer incidence in a Utah County with a steel mill. Blindauer KM, Erickson L, McElwee N, Sorenson G, Gren LH, Lyon JL. 48(3):184–90.
- Aggazzotti G, Fantuzzi G, Righi E, Tartoni P, Cassinadri T, Predieri G. Chloroform in alveolar air of individuals attending indoor swimming pools. 48(4):250–54.
- Air pollution-type fluorosis in the region of Pingxiang, Jiangxi, Peoples' Republic of China. Yixin C, Meiqi L, Zhaolong H, Xiaomao X, Yongquan L, Yuandong X, Jing Z, Yong F, Xiwen X, Fengsheng X. 48(4):246–49.
- Albertson TE, Cross CD. Pesticides in the workplace: a worldwide issue (Editorial). 48(5):364-65.
- Alexander LM, Heaven A, Delves HT, Moreton J, Trenouth MJ. Relative exposure of children to lead from dust and drinking water. 48(60):392-400.
- Ames RG, Howd RA, Doherty L. Community exposure to a paraquat drift. 48(1):47–52.
- Araki S, Tanigawa T, Ishizu S, Minato N. Decrease of CD4-positive T lymphocytes in workers exposed to benzidine and betanaphthylamine. 48(4):205–08.
- Aschengrau A, Zierler S, Cohen A. Quality of community drinking water and the occurrence of late adverse pregnancy outcomes. 48(2):105–13.
- Aschengrau A, Ozonoff D, Paulu C, Coogan P, Vezina R, Heeren T, Zhang Y. Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. 48(5):284–92.
- Association of air pollution and mortality: examining the case for inference (The). Ostro B. 48(5):336–42.
- Associations of London, England, daily mortality with particulate matter, sulfur dioxide, and acidic aerosol pollution. Ito K, Thurston GD, Hayes C, Lippmann M. 48(4):213–20.

В

Babisch W, Ising H, Gallacher JEJ, Sharp DS, Baker IA. Traffic noise and cardiovascular risk: the Speedwell study, first phase: outdoor noise levels and risk factors. 48(6):401–05.

- Babisch W, Ising H, Elwood PC, Sharp DS, Bainton D. Traffic Noise and Cardiovascular risk: the Caerphilly and Speedwell studies, second phase: risk estimation, prevalence and incidence of ischemic heart disease. 48(6):406–13.
- Bell IR, Schwartz GE, Peterson JM, Amend, D. Self-reported illness from chemical odors in young adults without clinical syndromes or occupational exposures. 48(1):6–13.
- Bell IR, Schwartz GE, Peterson JM, Amend D, Stini WA. Possible timedependent sensitization to xenobiotics: self-reported illness from chemical odors, foods, and opiate drugs in an older adult population. 48(5):315–27.
- Bessette L, Boulet L-P, Tremblay G, Cormier Y. Bronchial responsiveness to methacholine in swine confinement building workers. 48(2):73–77.
- Bhopal gas disaster (The): It's not too late for sound epidemiology. Dhara VR, Kriebel D. 48(6):436-37.
- Biberman R, Lusky A, Schlesinger T, Margaloit M, Neeman E, Modan B. Increased risk for small cell lung cancer following residential exposure to low-dose radon: a pilot study. 48(4):209–12.
- Blindauer KM, Erickson L, McElwee N, Sorenson G, Gren LH, Lyon JL. Age and smoking-adjusted lung cancer incidence in a Utah County with a steel mill. 48(3):184–90.
- Blood lead level and neurobehavioral development among children living in Mexico City. Muñoz H, Romieu I, Palazuelos E, Mancilla-Sanchez T, Meneses-Gonzalez F, Hernandez-Avila M. 48(3): 132-39.
- Bronchial responsiveness to methacholine in swine confinement building workers. Bessette L, Boulet L-P, Tremblay G, Cormier Y. 48(2):73–77.

C

- Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. Aschengrau A, Ozonoff D, Paulu C, Coogan P, Vezina R, Heeren T, Zhang Y. 48(5):284–92.
- Chloroform in alveolar air of individuals attending indoor swimming pools. Aggazzotti G, Fantuzzi G, Righi E, Tartoni P, Cassinadri T, Predieri G. 48(4):250–54.
- Cholinesterase and self-reported pesticide exposure among pregnant women. de Peyster A, Willis WO, Molgaard CA, MacKenrick TM, Walker C. 48(5):348–52.
- Chyou P-O, Nomura AMY, Stemmermann GN, Kato I. Lung cancer: a prospective study of smoking, occupation, and nutrient intake. 48(2):69–72.
- Colosio C, Maroni M, Barcellini W, Meroni P, Alcini D, Colombi A, Cavallo D, Foa V. Toxicological and immune findings in workers exposed to pentachlorophenol (PCP). 48(2):81–88.
- Cometto-Muñiz JE, Cain WS. Efficacy of volatile organic compounds in evoking nasal pungency and odor. 48(5):309–14.
- Community exposure to a paraquat drift. Ames RG, Howd RA, Doherty L. 48(1):47–52.
- Conserve brains first, else all may be lost (Editorial). Kilburn KH. 48(3):199.

de Peyster A, Willis WO, Molgaard CA, MacKenrick TM, Walker C. Cholinesterase and self-reported pesticide exposure among pregnant women. 48(5):348–52.

Decrease of CD4-positive T lymphocytes in workers exposed to benzidine and beta-naphthylamine. Araki S, Tanigawa T, Ishizu S, Minato N. 48(4):205–08.

Delfino RJ, Becklake MR, Hanley JA. Reliability of hospital data for population-based studies of air pollution. 48(3):140–46.

Determining soil contamination patterns in a residential district near a copper smelter. Gagné D, Létourneau G. 48(3):181-83.

Dhara VR, Kriebel D. Bhopal gas disaster (The): It's not too late for sound epidemiology. 48(6):436–37.

Drinking water, fluid intake, and bladder cancer in Western New York. Vena JE, Graham S, Freudenheim J, Marshall J, Zielezny M, Swanson M, Sufrin G. 48(3):191–98.

E

Effect of exposure to organophosphate pesticides on serum cholinesterase levels. López-Carillo L, López-Cervantes M. 48(5): 359–63.

Effect of ambient ozone on peak expiratory flow of exercising children in the Netherlands. Hoek G, Brunekreef B, Kosterink P, Van Den Berg R, Hofschreuder P. 48(1):27–32.

Effects of air pollution on children's pulmonary function in urban and suburban areas of Wuhan, People's Republic of China. He Q-C, Lioy PJ, Wilson WE, Chapman RS. 48(6):382–91.

Efficacy of volatile organic compounds in evoking nasal pungency and odor. Cometto-Muñiz JE, Cain WS. 48(5):309–14.

Environmental exposure and lifestyle predictors of lead, cadmium, PCB, and DDT levels in Great Lakes fish eaters. Hovinga ME, Sowers M, Humphrey HEB. 48(2):98–104.

Epidemiological study of endocrinological effects of carbon disulfide. Vanhoorne M, Vermeulen A, de Bacquer D. 48(5):370–75.

Evaluation of the relationship between heart rate and ventilation for epidemiologic studies. Mermier CM, Samet JM, Lambert WE, Chick TW. 48(4):263–69.

Evidence for interaction between air pollution and high temperature in the causation of excess mortality. Katsouyanni K, Pantazopoulou A, Touloumi G, Tselepidaki I, Moustris K, Asimakopoulos D, Poulopoulou G, Trichopoulos D. 48(4):235–42.

Experimental model of lead nephropathy. III. Continuous low-level lead administration. Khalil-Manesh F, Gonick HC, Cohen AH. 48(4):271–78.

Exposure misclassification due to residential mobility during pregnancy in epidemiologic investigations of congenital malformations. Schulman J, Selvin S, Shaw GM, Malcoe LH. 48(2):114–19.

Exposure to tetrachloroethylene via contamination drinking water pipes in Massachusetts: a predictive model. Webler T, Brown HS. 48(50:293–97.

1

Forastiere F, Agabiti N, Dell'Orco V, Pistelli R, Corbo GM, Brancato G, Pacifici R, Zuccaro P, Perucci CA. Questionnaire data as predictors of urinary cotinine levels among nonsmoking adolescents. 48(4):230–34.

Franzblau A, Flaschner D, Blitz S, Werner B, Armstrong T. Medical screening of office workers for upper extremity cumulative trauma disorders. 48(3):164–70.

G

Gagné D, Létourneau G. Determining soil contamination patterns in a residential district near a copper smelter. 48(3):181–83.

Gerhardsson L, Attewell R, Chettle DR, Englyst V, Lundström N-G, Nordberg GF, Nyhlin H, Scott MC, Todd AC. In vivo measurements of lead in bone in Long-term exposed lead smelter workers. 48(3):147–56.

Gustavsson P, Evanoff B, Hogstedt C. Increased risk of esophageal cancer among workers exposed to combustion products. 48(4): 243-45.

Hair-organ relationship in mercury concentration in contemporary Japanese (The). Suzuki T, Hongo T, Yoshinaga J, Imai H, Nakazawa M, Matsuo N, Akagi H. 48(4):221–29.

He Q-C, Lioy PJ, Wilson WE, Chapman RS. Effects of air pollution on children's pulmonary function in urban and suburban areas of Wuhan, People's Republic of China. 48(6):382-91.

Hemenway DR, Absher MP, Fubini B, Bolis V. What is the relationship between hemolytic potential and fibrogenicity of mineral dusts? 48(5):343–47.

Hepatitis A epidemics from utility sewage in Ocoee, Florida. Vonstille WT, Stille WT III, Sharer RC. 48(2):120-24.

Hoek G, Brunekreef B, Kosterink P, Van Den Berg R, Hofschreuder P. Effect of ambient ozone on peak expiratory flow of exercising children in the Netherlands. 48(1):27–32.

Hoek G, Brunekreef B. Acute effects of a winter air pollution episode on pulmonary function and respiratory symptoms of children. 48(5):329–35.

Hovinga ME, Sowers M, Humphrey HEB. Environmental exposure and lifestyle predictors of lead, cadmium, PCB, and DDT levels in Great Lakes fish eaters. 48(2):98–104.

How should we think about chemically reactive patients? (Editorial). Kilburn KH. 48(1):4-5.

Hypersensitivity pneumonitis resulting from Aspergillus furnigatus in a greenhouse. Yoshida K, Ueda A, Yamasaki H, Sato K, Uchida K, Ando M. 48(4):260–62.

1

Immunologic abnormalities in humans exposed to chlorpyrifos: preliminary observations. Thrasher JD, Madison R, Broughton A. 48(2):89–93.

In vivo measurements of lead in bone in Long-term exposed lead smelter workers. Gerhardsson L, Attewell R, Chettle DR, Englyst V, Lundström N-G, Nordberg GF, Nyhlin H, Scott MC, Todd AC. 48(3):147–56.

Increased risk of esophageal cancer among workers exposed to combustion products. Gustavsson P, Evanoff B, Hogstedt C. 48(4): 243–45.

Increased risk for small cell lung cancer following residential exposure to low-dose radon: a pilot study. Biberman R, Lusky A, Schlesinger T, Margaloit M, Neeman E, Modan B. 48(4):209–12.

Ito K, Thurston GD, Hayes C, Lippmann M. Associations of London, England, daily mortality with particulate matter, sulfur dioxide, and acidic aerosol pollution. 48(4):213–20.

Iwata K, Saito H, Moriyama M, Nakano A. Renal tubular function after reduction of environmental cadmium exposure: a ten-year follow-up. 48(3):157-63.

)

Jakobsson R, Ahlbom A, Bellander T, Lundberg I. Acute myeloid leukemia among petrol station attendants. 48(4):255–59.

K

Katsouyanni K, Pantazopoulou A, Touloumi G, Tselepidaki I, Moustris K, Asimakopoulos D, Poulopoulou G, Trichopoulos D. Evidence for interaction between air pollution and high temperature in the causation of excess mortality. 48(4):235–42.

Khalil-Manesh F, Gonick HC, Cohen AH. Experimental model of lead nephropathy. III. Continuous low-level lead administration. 48(4):271–78.

Kilburn KH. Symptoms, syndrome, and semantics: multiple chemical sensitivity and chronic fatigue syndrome (Editorial). 48(5):368–69.

Kilburn KH. How should we think about chemically reactive patients? (Editorial). 48(1):4-5.

Kilburn KH. Conserve brains first, else all may be lost (Editorial). 48(3):199.

Knasko SC. Performance, mood, and health during exposure to intermittent odors. 48(5):305–08.

Koenig JQ, Dumler K, Rebolledo V, Williams PV, Pierson WE. Respiratory effects of inhaled sulfuric acid on senior asthmatics and nonasthmatics. 48(3):171–75. Long-term ambient concentrations of total suspended particulates, ozone, and sulfur dioxide and respiratory symptoms in a nonsmoking population. Abbey DE, Petersen F, Mills PK, Beeson WL. 48(1):33-46.

López-Carillo L, López-Cervantes M. Effect of exposure to organophosphate pesticides on serum cholinesterase levels. 48(5):359-63.

Lung cancer: a prospective study of smoking, occupation, and nutrient intake. Chyou P-O, Nomura AMY, Stemmermann GN, Kato I. 48(2):69–72.

M

Magnani C, Comba P, Ferraris F, Ivaldi C, Meneghin M, Terracini B. A case-control study of carcinomas of the nose and paranasal sinuses in the woolen textile manufacturing industry. 48(2):94–97.

McDonald JC, Armstrong B, Bénard J, Cherry NM, Farant JP. Sick building syndrome in a Canadian office complex. 48(5):298–304.

Medical screening of office workers for upper extremity cumulative trauma disorders. Franzblau A, Flaschner D, Blitz S, Werner B, Armstrong T. 48(3):164–70.

Meggs, WJ, Cleveland CH Jr. Rhinolaryngoscopic examination of patients with the multiple chemical sensitivity syndrome. 48(1):14–18.

Mermier CM, Samet JM, Lambert WE, Chick TW. Evaluation of the relationship between heart rate and ventilation for epidemiologic studies. 48(4):263–69.

Multiple chemical sensitivities syndrome: toward a working case definition. Nethercott JR, Davidoff LE, Curbow B, Abbey H. 48(1):19–26.

Multiple chemical sensitivity: respect the observations . . . suspect the interpretations? Richter E. 48(5):266-67.

Muñoz H, Romieu I, Palazuelos E, Mancilla-Sanchez T, Meneses-Gonzalez F, Hernandez-Avila M. Blood lead level and neuro-behavioral development among children living in Mexico City. 48(3):132–39.

N

Nakagawa H, Nishijo M, Morikawa Y, Tabata M, Senma M, Kitagawa Y, Kawano S, Ishizaki M, Sugita N, Nishi M, Kido T, Nogawa K. Urinary β₂-microglobulin concentration and mortality in a cadmi-um-polluted area. 48(6):428–35.

Nethercott JR, Davidoff LE, Curbow B, Abbey H. Multiple chemical sensitivities syndrome: toward a working case definition.

48(1):19-26.

Nitta H, Sato T, Nakai S, Maeda K, Aoki S, Ono M. Respiratory health associated with exposure to automobile exhaust. I. Results of crosssectional studies in 1979, 1982, and 1983. 48(1):53–58.

0

Ostro B. Association of air pollution and mortality: examining the case for inference (The). 48(5):336-42.

p

Paraquat poisoning in Southern Mexico: a report of 25 cases. Tinoco R, Tinoco R, Parsonnet J, Halperin D. 48(2):78–80.

Performance, mood, and health during exposure to intermittent odors. Knasko SC. 48(5):305–08.

Pesticides in the workplace: a worldwide issue (Editorial). Albertson TE, Cross CD. 48(5):364–65.

Possible time-dependent sensitization to xenobiotics: self-reported illness from chemical odors, foods, and opiate drugs in an older adult population. Bell IR, Schwartz GE, Peterson JM, Amend D, Stini WA. 48(5):315–27.

0

Quality of community drinking water and the occurrence of late adverse pregnancy outcomes. Aschengrau A, Zierler S, Cohen A. 48(2):105–13. Questionnaire data as predictors of urinary cotinine levels among nonsmoking adolescents. Forastiere F, Agabiti N, Dell'Orco V, Pistelli R, Corbo GM, Brancato G, Pacifici R, Zuccaro P, Perucci CA. 48(4):230-34.

R

Relative exposure of children to lead from dust and drinking water. Alexander LM, Heaven A, Delves HT, Moreton J, Trenouth MJ. 48(60):392-400.

Reliability of hospital data for population-based studies of air pollution. Delfino RJ, Becklake MR, Hanley JA. 48(3):140–46.

Renal tubular function after reduction of environmental cadmium exposure: a ten-year follow-up. Iwata K, Saito H, Moriyama M, Nakano A. 48(3):157–63.

Respiratory health associated with exposure to automobile exhaust. I. Results of cross-sectional studies in 1979, 1982, and 1983. Nitta H, Sato T, Nakai S, Maeda K, Aoki S, Ono M. 48(1):53–58.

Respiratory effects of inhaled sulfuric acid on senior asthmatics and nonasthmatics. Koenig JQ, Dumler K, Rebolledo V, Williams PV, Pierson WE. 48(3):171–75.

Rhainds M, Levallois P. Umbilical cord blood lead levels in the Québec City area. 48(6):421–27.

Rhinolaryngoscopic examination of patients with the multiple chemical sensitivity syndrome. Meggs, WJ, Cleveland CH Jr. 48(1): 14–18.

Richter E. Multiple chemical sensitivity: respect the observations . . . suspect the interpretations? 48(5):266-67.

Risk for cancer of the pharynx and oral cavity among male painters in the Nordic Countries. Skov T, Weiner J, Pukkala E, Malker H, Andersen A, Lynge E. 48(3):176–80.

Role of agricultural pesticide use in the development of non-Hodgkin's lymphoma in women. Zahm SH, Weisenburger DD, Saal RC, Vaught JB, Babbitt PA, Blair A. 48(5):353–58.

S

Schulman J, Selvin S, Shaw GM, Malcoe LH. Exposure misclassification due to residential mobility during pregnancy in epidemiologic investigations of congenital malformations. 48(2):114–19.

Self-reported illness from chemical odors in young adults without clinical syndromes or occupational exposures. Bell IR, Schwartz GE, Peterson JM, Amend, D. 48(1):6–13.

Shore DL, Sandler DP, Davey FR, McIntyre OR, Bloomfield CD. Acute leukemia and residential proximity to potential sources of environmental pollutants. 48(6):414–20.

Sick building syndrome in a Canadian office complex. McDonald JC, Armstrong B, Bénard J, Cherry NM, Farant JP. 48(5):298–304.

Skov T, Weiner J, Pukkala E, Malker H, Andersen A, Lynge E. Risk for cancer of the pharynx and oral cavity among male painters in the Nordic Countries. 48(3):176–80.

Suzuki T, Hongo T, Yoshinaga J, Imai H, Nakazawa M, Matsuo N, Akagi H. Hair-organ relationship in mercury concentration in contemporary Japanese (The). 48(4):221–29.

Symptoms, syndrome, and semantics: multiple chemical sensitivity and chronic fatigue syndrome (Editorial). Kilburn KH. 48(5): 368–69.

Т

Thrasher JD, Madison R, Broughton A. Immunologic abnormalities in humans exposed to chlorpyrifos: preliminary observations. 48(2): 89–93.

Tinoco R, Tinoco R, Parsonnet J, Halperin D. Paraquat poisoning in Southern Mexico: a report of 25 cases. 48(2):78–80.

Toxicological and immune findings in workers exposed to pentachlorophenol (PCP). Colosio C, Maroni M, Barcellini W, Meroni P, Alcini D, Colombi A, Cavallo D, Foa V. 48(2):81–88.

Traffic Noise and Cardiovascular risk: the Caerphilly and Speedwell studies, second phase: risk estimation, prevalence and incidence of ischemic heart disease. Babisch W, Ising H, Elwood PC, Sharp DS, Bainton D. 48(6):406–13.

Traffic noise and cardiovascular risk: the Speedwell study, first phase: outdoor noise levels and risk factors. Babisch W, Ising H, Gallacher JEJ, Sharp DS, Baker IA. 48(6):401–05.

Umbilical cord blood lead levels in the Québec City area. Rhainds M, Levallois P. 48(6):421-27.

Urinary β₂-microglobulin concentration and mortality in a cadmium-polluted area. Nakagawa H, Nishijo M, Morikawa Y, Tabata M, Senma M, Kitagawa Y, Kawano S, Ishizaki M, Sugita N, Nishi M, Kido T, Nogawa K. 48(6):428–35.

v

Vanhoorne M, Vermeulen A, de Bacquer D. Epidemiological study of endocrinological effects of carbon disulfide. 48(5):370–75.

Vena JE, Graham S, Freudenheim J, Marshall J, Zielezny M, Swanson M, Sufrin G. Drinking water, fluid intake, and bladder cancer in Western New York. 48(3):191–98.

Vonstille WT, Stille WT III, Sharer RC. Hepatitis A epidemics from utility sewage in Ocoee, Florida. 48(2):120-24.

W

Webler T, Brown HS. Exposure to tetrachloroethylene via contamina-

tion drinking water pipes in Massachusetts: a predictive model. 48(50:293-97.

What is the relationship between hemolytic potential and fibrogenicity of mineral dusts? Hemenway DR, Absher MP, Fubini B, Bolis V. 48(5):343–47.

Y

Yixin C, Meiqi L, Zhaolong H, Xiaomao X, Yongquan L, Yuandong X, Jing Z, Yong F, Xiwen X, Fengsheng X. Air pollution-type fluorosis in the region of Pingxiang, Jiangxi, Peoples' Republic of China. 48(4):246-49.

Yoshida K, Ueda A, Yamasaki H, Sato K, Uchida K, Ando M. Hypersensitivity Pneumonitis resulting from Aspergillus fumigatus in a greenhouse. 48(4):260–62.

Z

Zahm SH, Weisenburger DD, Saal RC, Vaught JB, Babbitt PA, Blair A. Role of agricultural pesticide use in the development of non-Hodgkin's lymphoma in women. 48(5):353–58.



This publication is available from UMI in one or more of the following formats:

- In Microform--from our collection of over 18,000 periodicals and 7,000 newspapers
- In Paper--by the article or full issues through UMI Article Clearinghouse
- Electronically, on CD-ROM, online, and/or magnetic tape--a broad range of ProQuest databases available, including abstract-and-index, ASCII full-text, and innovative full-image format

Call toll-free 800-521-0600, ext. 2888, for more information, or fill out the coupon below:

City/State/Zip

Phone ()

I'm interested in the following title(s):

UMI A Bell & Howell Company Box 78 300 North Zeeb Road Ann Arbor, MI 48106 800-521-0600 toll-free 313-761-1203 fax

